

NEUTROGENA COMPLETE ACNE THERAPY SOLUTION- salicylic acid, avobenzone, octisalate, octocrylene, oxybenzone, and benzoyl peroxide Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Neutrogena® Complete Acne Therapy Solution

Neutrogena® SKIN POLISHING ACNE CLEANSER

Drug Facts

Active ingredient

Salicylic Acid 2%

Purpose

Acne treatment

Use

- For the treatment of acne

Warnings

For external use only

- **When using this product**
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid contact with eyes. If contact occurs, flush thoroughly with water.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away .

Directions

- wet face. Squeeze into hands.
- apply to face and massage gently
- rinse thoroughly
- if excessive drying or peeling occurs, reduce application to every other day.

Other information

Sunburn Alert: this product contains an alpha hydroxy acid (AHA) that may increase

your skin's sensitivity to the sun and particularly the possibility of sunburn. Use a sunscreen, wear protective clothing and limit sun exposure while using this product and for a week afterwards. Store at room temperature.

Inactive ingredients

water, cetyl alcohol, PPG-15, stearyl ether, glycolic acid, glycerin, polysorbate 60, steareth-21, C12-15 alkyl lactate, cetyl lactate, potassium cetyl phosphate, sodium hydroxide, xanthan gum, cocamidopropyl PG-dimonium chloride phosphate, disodium EDTA, menthol, fragrance, benzalkonium chloride, panthenol

Questions?

Visit www.neutrogena.com or call toll free **800-582-4048** or **215-273-8755** (collect)

Neutrogena OIL-FREE MOISTURE WITH SUNSCREEN BROAD SPECTRUM SPF 15

Drug Facts

Active ingredient

Avobenzone (1.5%), Octisalate (5%)
Octocrylene (3%), Oxybenzone(4%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every 2 hours.
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging . To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

water, octyldodecyl neopentanoate, glycerin, emulsifying wax NF, glyceryl stearate, PEG-100 stearate, dimethicone, phenoxyethanol, ethylhexyglycerin, caprylyl glycol, carbomer, triethanolamine, methylparaben, disodium EDTA, ethylene brassylate, dipropylene glycol, dimethyl heptenal

Questions?

Visit www.neutrogena.com or call toll free **800-582-4048** or **215-273-8755** (collect)

Neutrogena® ACNE CONTROL LOTION

Drug Facts**Active ingredient**

Benzyl Peroxide 2.5%

Purpose

Acne Medication

Use

- For the treatment of acne

Warnings**For external use only**

- **When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Do not use if you

- have very sensitive skin
- **are** sensitive to benzoyl peroxide.

When using this product

- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth.
- avoid contact with hair or dyed fabrics, which may be bleached by this product.
- Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe .

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily.
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients

Water, carbomer homopolymer type B, ethylhexylglycerin, sodium hydroxide, chlorphenesin, disodium EDTA, laureth-4, hydroxypropyl methylcellulose

Questions?

Visit www.neutrogena.com or call toll free **800-582-4048** or **215-273-8755** (collect)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.**
Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - Kit Carton

approximately 2 months supply

CLINICALLY
PROVEN
overnight results
with acne
control lotion

**complete acne therapy
solution**

**Reduces size and redness overnight without over-drying skin
Controls breakouts with 2 dermatologist recommended medicines**

Neutrogena®

oil-free moisture with
sunscreen

Broad Spectrum SPF
15

1.7 FL. OZ. (50mL)

acne control lotion with

benzoyl peroxide acne
medicine

1.4 FL. OZ. (40mL)

skin polishing acne
cleanser

with salicylic acid acne
treatment

5.1 FL.OZ. (150mL)

Neutrogena®
complete acne therapy
solution

approximately 2 months supply

CLINICALLY
PROVEN
overnight results
with acne
control lotion

complete acne therapy solution

Reduces size and redness overnight without over-drying skin
Controls breakouts with 2 dermatologist recommended medicines

Neutrogena®

oil-free moisture with sunscreen
Broad Spectrum SPF 15

1.7 FL.OZ. (50mL)

acne control lotion with
benzoyl peroxide acne medicine

1.4 FL.OZ. (40mL)

skin polishing acne cleanser
with salicylic acid acne treatment

5.1 FL.OZ. (150mL)

Distributed by: JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558 © J&J/C12020
Acne Control Lotion: Active Made in Mexico
30048565

The power to control your acne now

From the #1 Dermatologist Recommended Acne Brand

WHAT'S THE PROOF THAT IT WORKS?

With two clinically proven acne medicines, this complete solution clears breakouts and delivers powerful results.

The products in this kit:	Skin Polishing Acne Cleanser	Acne Control Lotion	Oil-Free Moisture with Sunscreen Broad Spectrum SPF 15
Clears acne, pimples, blackheads and whiteheads	•	•	•
Reduces the severity of acne and allows skin to heal	•	•	•
Helps prevent new acne from forming	•	•	•
Reduces size and redness of pimples overnight	•	•	•
Penetrates pores to reduce the number of pimples	•	•	•
Moisturizes for softer, smoother skin	•	•	•
Deep cleans and polishes skin	•	•	•

For more information on this and other acne-fighting breakthroughs from the Neutrogena® Brand, please visit www.neutrogena.com

ACNE CONTROL LOTION

Drug Facts

Active ingredient } **Purpose**
Benzoyl Peroxide 2.5% } Acne Medication

Use • For the treatment of acne

Warnings

For external use only • When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Do not use if you • have very sensitive skin, • are sensitive to benzoyl peroxide. When using this product • avoid unnecessary sun exposure and use a sunscreen, • avoid contact with the eyes, lips and mouth, • avoid contact with hair or dyed fabrics, which may be bleached by this product, • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. Stop use and ask a doctor if • irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the skin thoroughly before applying this product, • cover the entire affected area with a thin layer one to three times daily, • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor, • if bothersome dryness or peeling occurs, reduce application to once a day or every other day, • if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients water, carbomer homopolymer type B, ethylhexylglycerin, sodium hydroxide, chlorphenesin, disodium EDTA, laureth-4, hydroxypropyl methylcellulose

Questions? Visit www.neutrogena.com or call toll-free 800-582-4048 or 215-273-8795 (collect)

ACTUAL SIZE

SKIN POLISHING ACNE CLEANSER

Drug Facts

Active ingredient } **Purpose**
Salicylic Acid 2% } Acne treatment

Use • For the treatment of acne

Warnings

For external use only • When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time, • avoid contact with eyes. If contact occurs, flush thoroughly with water. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • wet face. Squeeze into hands • apply to face and massage gently • rinse thoroughly • If excessive drying or peeling occurs, reduce application to every other day

Other information Sunburn Alert: this product contains an alpha hydroxy acid (AHA) that may increase your skin's sensitivity to the sun and particularly the possibility of sunburn. Use a sunscreen, wear protective clothing and limit sun exposure while using this product and for a week afterwards. Store at room temperature.

Inactive ingredients water, cetyl alcohol, PPG-15 stearyl ether, glycolic acid, glycerin, polyacrylate 60, stearyl-21, C12-15 alkyl lactate, cetyl lactate, potassium cetyl phosphate, sodium hydroxide, xanthan gum, cocamidopropyl PG-dimonium chloride phosphate, disodium EDTA, menthol, fragrance, benzalkonium chloride, parthenol

Questions? Visit www.neutrogena.com or call toll-free 800-582-4048 or 215-273-8795 (collect)

ACTUAL SIZE

OIL-FREE MOISTURE WITH SUNSCREEN BROAD SPECTRUM SPF 15

Drug Facts

Active ingredients } **Purpose**
Avobenzone (1.5%), Octisalate (5%), Octocrylene (3%), Oxybenzone (4%) } Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use • apply liberally and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m., • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients water, octyldodecyl neopentanoate, glycerin, emulsifying wax, glyceryl stearate, PEG-100 stearate, dimethicone, phenoxethanol, ethylhexylglycerin, caprylyl glycol, carbomer, triethanolamine, methylparaben, disodium EDTA, ethylene brassylate, dipropylene glycol, dimethyl heptanol

Questions? Visit www.neutrogena.com or call toll-free 800-582-4048 or 215-273-8795 (collect)

ACTUAL SIZE

HOW DOES IT WORK?

This complete acne therapy solution takes the dermatologist's approach to treating your skin in one high efficacy kit. Simply cleanse and treat twice a day. It is important to use products daily and consistently to help maintain clear skin.



Cleanse

SKIN POLISHING ACNE CLEANSER

Ingredients:

salicylic acid + glycolic acid

Action:

deep cleansing, sweeps away roughness



Day

OIL-FREE MOISTURE WITH SUNSCREEN BROAD SPECTRUM SPF 15

Ingredients:

sunscreen Broad Spectrum SPF 15

Action:

sheer formula keeps skin moisturized and protected from the sun



Night

ACNE CONTROL LOTION

Ingredient:

prescription-grade benzoyl peroxide

Action:

kills acne-causing bacteria, clinically proven to reduce pimple size and redness overnight



0 70501 02354 9



NEUTROGENA COMPLETE ACNE THERAPY SOLUTION

salicylic acid, avobenzone, octisalate, octocrylene, oxybenzone, and benzoyl peroxide kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0074

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0074-9	1 in 1 CARTON	10/01/2016	02/01/2023

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	150 mL
Part 2	1 TUBE	40 mL
Part 3	1 TUBE	50 mL

Part 1 of 3	
NEUTROGENA SKIN POLISHING ACNE CLEANSER	
salicylic acid cream	

Product Information	
Item Code (Source)	NDC:69968-0320
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
	Ingredient Name	Basis of Strength
	SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID
		20 mg in 1 mL

Inactive Ingredients	
	Ingredient Name
	WATER (UNII: 059QF0KO0R)
	GLYCOLIC ACID (UNII: 0WT12SX38S)
	COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)
	EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
	SODIUM HYDROXIDE (UNII: 55X04QC32I)
	CETYL ALCOHOL (UNII: 936JST6JCN)
	PPG-15 STEARYL ETHER (UNII: 1II18XLS1L)
	GLYCERIN (UNII: PDC6A3C0OX)
	POLYSORBATE 60 (UNII: CAL22UVI4M)
	STEARETH-21 (UNII: 53J3F32P58)
	C12-15 ALKYL LACTATE (UNII: GC844VRD7E)
	CETYL LACTATE (UNII: A7EVH2RK4O)

POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PANTHENOL (UNII: W9CM0O67Z)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0320-5	150 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	12/01/2016	

Part 2 of 3
NEUTROGENA ACNE CONTROL benzoyl peroxide lotion

Product Information	
Item Code (Source)	NDC:10812-975
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	25 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL OR ALLYL SUCROSE CROSSLINKED) (UNII: K6MOM3T5YL)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LAURETH-4 (UNII: 6HQ855798J)	

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-975-01	40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	03/14/2014	

Part 3 of 3

NEUTROGENA OIL FREE MOISTURE BROAD SPECTRUM SPF15

avobenzone, octisalate, octocrylene, and oxybenzone lotion

Product Information

Item Code (Source)	NDC:69968-0616
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZ ONE - UNII:G63QQF2NOX)	AVOBENZONE	15 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	30 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZONE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	

TROLAMINE (UNII: 9O3K93S3TK)					
METHYLPARABEN (UNII: A2I8C7HI9T)					
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)					
ETHYLENE BRASSYLATE (UNII: 9A87HC7ROD)					
DIPROPYLENE GLYCOL (UNII: E107L85C40)					
2,6-DIMETHYL-5-HEPTENAL (UNII: Z331YX9EL9)					
Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69968-0616-2	50 mL in 1 TUBE; Type 0: Not a Combination Product			
Marketing Information					
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final		part352	04/29/2020		
Marketing Information					
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final		part333D	10/01/2016	02/01/2023	

Labeler - Johnson & Johnson Consumer Inc. (002347102)

Revised: 4/2022

Johnson & Johnson Consumer Inc.